

SPECIFICATIONS

					Symmetrical A	VD (All-Wheel Drive)		
Item			2.0i	2.0i-L	2.0i-L EyeSight	2.0i-Sport EyeSight	2.0i-S	2.0i-S EyeSight
tem				,	2.0L Di	ect Injection		
					Lin	eartronic		
ngine								
Туре						ylinder, 4-stroke, petrol engine		
						C 16-valve		
Bore/Stroke		mm			84	0 × 90.0		
Capacity		сс				1995		
Compression ratio						12.5		
Fuel system					Direct	uel injection		
Fuel tank capacity		lit.				63		
erfomance		11111100011						
Max. output (DIN)		kW (PS) /rpm				56) / 6,000		
Max. torque (DIN)		Nm (kgfm) /rpm			196 (2	0.0) / 4,000		
Max. speed		km/h				193		
acceleration (0-100 km/h)	1	sec.				10.3		
	Urban	lit./100 km				9.9		
uel consumption*1	Extra-urban	lit./100 km				6.3		
	Combined	lit./100 km				7.6		
20	Urban	g/km				229 146		
CO2 emissions*1	Extra-urban	g/km						
	Combined	g/km				176		
rivetrain					A	C. In AME		
All-Wheel Drive type					Active Torqu	Split AWD system		
mensions & weight						4/40		
Overall length Overall width		mm				4640 1815		
		mm				1730		
Overall height Wheelbase		mm				2670		
vneerbase	Front	mm mm				1565		
rack rack	Rear	mm				1570		
Minimum road clearance (at kerb weight)	Iteal	mm				220		
Cargo volume*2		lit.			177	5 / 1747*3		
Seating capacity		persons			177	5		
Kerb weight		kg	1526	1531	1540	1547	1573	1583
ansmission			1320	1331	1340	1347	1373	1303
	D range (Lineartro	nic)			3.6	01 - 0.513		
	1st	.,	_			3.601		
	2nd		_			2.155		
	3rd		_			1.514		
Gear ratio	4th		_			1.092		
	5th		-			0.843		
	6th		-			0.667		
	7th		-			0.557		
	Reverse					3.689		
inal drive axle ratio						3.900		
assis								
teering					Rack and pinion, elec	tric power steering system		
-	Front					son strut type		
suspension (4-wheel independent)	Rear					vishbone type		
Minimum turning circle at tyre (radius)	•	m				5.4		
	Front				Ventilat	ed disc brakes		
Brakes	Rear				Ventilat	ed disc brakes		
Tyre/wheel size				225/60R17, 17×7"J			225/55R18, 18×7"J	

^{*1} Fuel consumption and CO $_2$ emissions: according to UN R101-01. *2 Measured by VDA (V214). *3 Measurement with Sunroof.

SPECIFICATIONS

				Symmetrical AWD (All-Wheel Drive)							
			2.5i-L EyeSight	2.5i-Sport EyeSight	2.5i-S EyeSight						
ltem				2.5L Direct Injection							
				Lineartronic							
ngine											
				Horizontally opposed, 4-cylinder, 4-stroke, petrol engin	ie .						
Туре				DOHC 16-valve							
Bore/Stroke		mm		94.0 × 90.0							
Capacity		сс		2498							
Compression ratio				12.0							
Fuel system				Direct fuel injection							
Fuel tank capacity		lit.		63							
erfomance											
Max. output (DIN)		kW (PS) /rpm		136 (184) / 5,800							
Max. torque (DIN)		Nm (kgfm) /rpm		239 (24.4) / 4,400							
Max. speed		km/h		207							
Acceleration (0-100 km/h)		sec.		9.5							
<u> </u>	Urban	lit./100 km		11.6							
uel consumption*1	Extra-urban	lit./100 km		6.4							
	Combined	lit./100 km		8.3							
	Urban	g/km		270							
CO2 emissions*1	Extra-urban	g/km		148							
	Combined	g/km		193							
ivetrain		<u> </u>									
All-Wheel Drive type				Active Torque Split AWD system							
mensions & weight											
Overall length		mm		4640							
Overall width		mm		1815							
Overall height		mm		1730							
Vheelbase		mm		2670							
	Front	mm		1565							
rack	Rear	mm		1570							
Minimum road clearance (at kerb weight)		mm		220							
Cargo volume*2		lit.		1775 / 1747*³							
Seating capacity		persons		5							
Kerb weight		kg	1545	1564	1587						
ansmission											
	D range (Lineartroni	c)		3.601 - 0.513							
	1st			3.601							
	2nd			2.323							
	3rd			1.648							
Gear ratio	4th			1.241							
	5th			0.979							
	6th			0.747							
	7th			3.601 2.323 1.648 1.241 0.979 0.747							
	Reverse			3.689							
inal drive axle ratio				3.900							
assis											
iteering				Rack and pinion, electric power steering system							
-	Front			MacPherson strut type							
Suspension (4-wheel independent)	Rear			Double wishbone type							
Minimum turning circle at tyre (radius)		m		5.4							
	Front			Ventilated disc brakes							
Brakes	Rear			Ventilated disc brakes							
			225/60R17, 17×7"J	225/55							

^{*1} Fuel consumption and CO $_2$ emissions: according to UN R101-01. *2 Measured by VDA (V214). *3 Measurement with Sunroof.

STANDARD AND OPTIONAL FEATURES

Item	2.0i	2.0i-L	2.0i-L EyeSight	2.0i-Sport EyeSight	2.0i-S	2.0i-S EyeSight	2.5i-L EyeSight	2.5i-Sport EyeSight	2.5i-S EyeSight
		2.0	L Direc	t Inject	ion			.5L Dire	
Exterior					_				
Auto On/Off Headlamps	_	•	•	•	•	•	•	•	•
LED Headlamps with Manual-leveliser	•	_	-	-	-	-	-	-	-
LED Headlamps with Auto-leveliser	-	•	•	•	•	•	•	•	•
Pop-up Type Headlamp Washers	•	•	•	•	•	•	•	•	•
Front Fog Lamps	•	•	•	-	-	-	•	-	-
LED Front Fog Lamps	-	-	-	-	•	•	-	-	•
Hexagonal LED Front Fog Lamps	-	-	-	•	-	-	-	•	-
LED Rear Fog Lamp	•	•	•	•	•	•	•	•	•
Power-folding Door Mirrors	•	•	•	•	•	•	•	•	•
Automatic Rain-sensing Windshield Wipers	_	•	•	•	•	•	•	•	•
17-inch Aluminium-alloy Wheels (silver)	•	-	-	-	-	-	-	-	-
17-inch Aluminium-alloy Wheels (dark metallic)	-	•	•	-	-	-	•	-	-
18-inch Aluminium-alloy Wheels (dark metallic), 10-spoke	-	-	-	•	-	-	-	•	-
18-inch Aluminium-alloy Wheels (dark metallic), 5-spoke	-	-	-	-	•	•	-	-	•
Silver-plated Front and Rear Underguards	-	-	-	-	•	•	-	-	•
Orange-accented Front and Rear Underguards	_	-	-	•	-	-	-	•	-
Side Claddings	•	•	•	● *1	●* 2	• *2	•	● *1	●* 2
Power-sliding, Tilt-adjustable Glass Sunroof	-	-	-	•	•	•	-	•	•
Roof Rails with Loopholes	•	•	•	•	•	•	•	•	•
Roof Spoiler	_	•	•	•	•	•	•	•	•
Exhaust Tip	-	•	•	•	•	•	•	•	•

Standard on all models:

- LED Rear Combination Lamps
 UV Protection Glass: Windshield and Front Side Windows
 Variable Intermittent Windshield Wipers
 Intermittent Rear Window Wiper
 Shark Fin Antenna

Seating / Trims									
Leather-wrapped Steering Wheel with Silver Stitching	•	•	•	-	•	•	•	-	•
Leather-wrapped Steering Wheel with Orange Stitching	-	-	-	•	-	-	-	•	-
Leather-wrapped Gearshift Knob	-	•	•	•	•	•	•	•	•
Standard Fabric Seats	•	-	-	-	-	-	-	-	-
Premium Fabric Seats	-	•	-	-	-	-	•	-	-
Sport Fabric Seats	-	-	-	•	-	-	-	•	-
Leather Seats	-	OP	•	-	•	•	-	-	•
8-way Power-adjustable Driver's Seat	•	•	•	•	•	•	•	•	•
Driver's Memory Seat-linked Door Mirrors with Reverse Auto-tilt	•	•	•	•	•	•	•	•	•
8-way Power-adjustable Front Passenger's Seat	•	•	•	•	•	•	•	•	•
60/40-split Folding Rear Seatbacks	•	•	•	•	•	•	•	•	•
Reclining Rear Seatbacks	•	•	•	•	•	•	•	•	•
One-touch Folding Rear Seatbacks	•	•	•	•	•	•	•	•	•
Adjustable Front Headrests	•	•	•	•	•	•	•	•	•
Divided Seatback Pockets (behind both front seats)	•	•	•	•	•	•	•	•	•

Item	2.0i	2.0i-L	2.0i-L EyeSight	2.0i-Sport EyeSight	2.0i-S	2.0i-S EyeSight	2.5i-L EyeSight	2.5i-Sport EyeSight	2.5i-S EyeSight
		2.0		2.5L Direct Injection					
Comfort / Convenience									
Keyless Access with Push-button Start System	•	•	•	•	•	•	•	•	•
PIN Code Access	•	•	•	•	•	•	•	•	•
Cargo Light	•	•	•	-	•	•	•	-	•
LED Cargo Light and LED Rear Gate Light	-	-	-	•	-	-	-	•	-
Vanity Mirror with Cover (driver and front passenger)	•	-	-	-	_	-	-	-	-
Vanity Mirror with Cover and Lights (driver and front passenger)	-	•	•	•	•	•	•	•	•
Rear Seat Centre Armrest with 2 Cup Holders	-	•	•	•	•	•	•	•	•
Power Rear Gate	-	ОР	•	•	•	•	•	•	•
Upper Cargo Hooks (x2)	•	•	•	•	•	•	•	•	•
Temporary Spare Tyre*3	•	•	•	•	•	•	•	•	•

Standard on all models:

- Power Windows*4 Remote Control Key System
 Welcome Lighting One-touch Lane Change Signal Map Lights with Overhead Console Shower Light
 Courtesy Door Lights (front) Centre Console Ambient Light Overhead Console Box
 Centre Console Box 2 Front Cup Holders (in centre console) Door Pockets with Bottle Holders (on all side doors)
- Three 12-volt Power Outlets (in centre panel, centre console box, and luggage space)
 Cargo Net Hooks (x4)
 Retractable Cargo Cover
 Storage Box (under cargo floor)

Climate Control									
Automatic Air-conditioning System	•	-	-	-	_	-	_	_	-
Dual-zone Automatic Air-conditioning System	-	•	•	•	•	•	•	•	•
Voice-controlled Air-conditioning	-	•	•	•	•	•	•	•	•
Rear Ventilation System	•	•	•	•	•	•	•	•	•
Heated Door Mirrors	_	OP	•	•	•	•	•	•	•
Electric Rear Window Defogger with Timer	•	•	•	•	•	•	•	•	•
Entertainment									
6.5-inch Display* ⁵ Audio System with 4 Speakers	OP	-	-	-	-	-	_	-	-
8-inch Display* ⁵ Audio System with 6 Speakers	-	•	•	•	-	-	•	•	-
8-inch Display* ⁵ Premium Audio System with 9 Harman/Kardon Speakers	-	-	-	-	•	•	-	-	•
8-inch Display* ⁵ Audio System with Navigation and 6 Speakers	-	-	-	-	-	-	-	OP	-
8-inch Display* ⁵ Premium Audio System with Navigation, 9 Harman/Kardon Speakers	-	-	-	-	-	ОР	-	-	ОР
Apple CarPlay*6 / Android Auto*7 Infotainment System*8	OP	•	•	•	•	•	•	•	•
Steering Wheel-mounted Audio Remote Control Switches	OP	•	•	•	•	•	•	•	•
Voice Recognition System	OP	•	•	•	•	•	•	•	•
Bluetooth®*9 Audio Streaming and Hands-free Phone Connectivity	OP	•	•	•	•	•	•	•	•
USB Port and Auxiliary Audio Input Jack (in centre panel)	OP	-	-	-	-	-	-	-	-
Dual USB Ports and Auxiliary Audio Input Jack (in centre panel)	-	•	•	•	•	•	•	•	•
Dual USB Ports behind Centre Console Box (power only)	•	•	•	•	•	•	•	•	•
Control / Instruments									
Dual-gauge Layout with 4.2-inch Full-colour LCD Display	•	•	•	•	•	•	•	•	•
6.3-inch Multifunction Display	-	•	•	•	•	•	•	•	•
Tilt-adjustable / Telescopic Steering Wheel	•	•	•	•	•	•	•	•	•
Paddle Shifters	-	•	•	•	•	•	•	•	•
Cruise Control	•	•	•	•	•	•	•	•	•
Aluminium Pedals	_	_	_	_	•	•	_		•

STANDARD AND OPTIONAL FEATURES

Item	2.0i	2.0i-L	2.0i-L EyeSight	2.0i-Sport EyeSight	2.0i-S	2.0i-S EyeSight	2.5i-L EyeSight	2.5i-Sport EyeSight	2.5i-S EyeSight
	2.0L Direct Injection 2.5L Direct Injection								
Drivability									
SI-DRIVE (SUBARU Intelligent Drive)*10	-	•	•	•	•	•	•	•	•
X-MODE	•	•	•	-	-	-	•	-	-
Dual-function X-MODE	-	_	-	•	•	•	-	•	•
Hill Descent Control	•	•	•	•	•	•	•	•	•
Auto Vehicle Hold	•	•	•	•	•	•	•	•	•
Active Torque Vectoring	•	•	•	•	•	•	•	•	•
Electronic Parking Brake	•	•	•	•	•	•	•	•	•

Standard on all models:

• Vehicle Dynamics Control System • Towing Vehicle Dynamics Control System

EyeSight									
Pre-Collision Braking System	-	-	•	•	-	•	•	•	•
Autonomous Emergency Steering		-	-	•	-	•	-	•	•
Adaptive Cruise Control	-	-	•	•	-	•	•	•	•
Lane Centring Control and Preceding Vehicle Adaptive Steering Control	-	-	•	•	-	•	•	•	•
Lane Departure Prevention	-	-	•	•	-	•	•	•	•
Pre-Collision Throttle Management	_	-	•	•	-	•	•	•	•
Lead Vehicle Start Alert	-	-	•	•	-	•	•	•	•
Safety									
Front SRS*11 Airbags	•	•	•	•	•	•	•	•	•
Front Side SRS*11 Airbags (driver and front passenger)	•	•	•	•	•	•	•	•	•
Curtain SRS*11 Airbags (front and rear, both sides)	•	•	•	•	•	•	•	•	•
Knee SRS* ¹¹ Airbag (driver)	•	•	•	•	•	•	•	•	•
Steering Responsive Headlights (SRH)	_	•	•	•	•	•	•	•	•
Subaru Rear Vehicle Detection (SRVD)	_	-	-	•	-	•	-	•	•
High Beam Assist (HBA)	_	-	-	•	-	•	-	•	•
Reverse Automatic Braking (RAB)	-	-	-	•	-	•	-	•	•
Front View Monitor	_	-	-	•	-	•	-	•	•
Side View Monitor	_	-	-	•	-	•	-	•	•
Rear View Camera	OP	•	•	•	•	•	•	•	•
Seatbelt Indicator	•	•	•	•	•	•	•	•	•
Rear Seat Reminder	•	•	•	•	•	•	•	•	•

Standard on all models:

- Height-adjustable Seatbelt Anchors (driver and front passenger)
- Locking-tongue Front Seatbelts with Pretensioners and Load Limiters
- Rear 3-point Seatbelts for 3 Seating Positions 4-wheel Antilock Braking System (ABS) Brake Assist System
- Brake Override ISO-FIX Adapted Child Seat Anchors (with tether anchors)
- Child-proof Rear Door Locks (both sides) Engine Immobiliser

- *1 Orange-accented.
- *2 Silver-plated.
- *3 185/65R17 tyre.
- *4 Driver's and passenger's side front window has auto up/down function with pinch protection.
- *5 Equipped with WVGA centre display.
 *6 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.
- *7 Android and Android Auto are trademarks of Google Inc. *8 Apple CarPlay and/or Android Auto may not be available for all models and regions.
- *9 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.
- *10 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).
 *11 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Standard and optional features, model lineup may vary according to market. Please contact your local authorised Subaru retailer for more details.